


| | |
|---------------------------|---------------------|
| MATERIAL | Brass |
| HEIGHT | 17.75"-25.5" |
| WIDTH DIAMETER | 6" |
| LENGTH PROJECTION | 19.75"-31.5" |
| WEIGHT | 1.1 kg 2.5 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Dry Location (IP20) |
| CLASS PROTECTION | Class I |
| SHADE | - |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |

FIXING BRACKET: MLWB11 | Black



DALE Picture Light

MPL014POLBRS Polished Brass



| | |
|---------------------------|---------------------|
| MATERIAL | Brass |
| HEIGHT | 17.75"-25.5" |
| WIDTH DIAMETER | 6" |
| LENGTH PROJECTION | 19.75"-31.5" |
| WEIGHT | 1.1 kg 2.5 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Dry Location (IP20) |
| CLASS PROTECTION | Class I |
| SHADE | - |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |

FIXING BRACKET: MLWB11 | Polished Brass




Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.



DALE Picture Light

MPL014ANTSLV Antique Silver



| | |
|---------------------------|---------------------|
| MATERIAL | Brass |
| HEIGHT | 17.75"-25.5" |
| WIDTH DIAMETER | 6" |
| LENGTH PROJECTION | 19.75"-31.5" |
| WEIGHT | 1.1 kg 2.5 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Dry Location (IP20) |
| CLASS PROTECTION | Class I |
| SHADE | - |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |

FIXING BRACKET: MLWB11 | Antique Silver




Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.



DALE Picture Light

MPL014ANTBRS Antique Brass




| | |
|---------------------------|---------------------|
| MATERIAL | Brass |
| HEIGHT | 17.75"-25.5" |
| WIDTH DIAMETER | 6" |
| LENGTH PROJECTION | 19.75"-31.5" |
| WEIGHT | 1.1 kg 2.5 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Dry Location (IP20) |
| CLASS PROTECTION | Class I |
| SHADE | - |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |

FIXING BRACKET: MLWB11 | Antique Brass



DALE Picture Light

MPL014SATBRS Satin Brass



| | |
|---------------------------|---------------------|
| MATERIAL | Brass |
| HEIGHT | 17.75"-25.5" |
| WIDTH DIAMETER | 6" |
| LENGTH PROJECTION | 19.75"-31.5" |
| WEIGHT | 1.1 kg 2.5 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Dry Location (IP20) |
| CLASS PROTECTION | Class I |
| SHADE | - |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |

FIXING BRACKET: MLWB11 | Satin Brass



Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.

