


BAKU Wall Light

MLWL226ANTBRS Antique Brass



MATERIAL	Brass
HEIGHT	6"-10.75"
WIDTH DIAMETER	6"
LENGTH PROJECTION	7.5"-15"
WEIGHT	0.9 kg 2 lbs
LAMPHOLDER	E26
MAX WATTAGE	25W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLWB11 | Antique Brass




Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.



BAKU Wall Light

MLWL226ANTSLV Antique Silver



MATERIAL	Brass
HEIGHT	6"-10.75"
WIDTH DIAMETER	6"
LENGTH PROJECTION	7.5"-15"
WEIGHT	0.9 kg 2 lbs
LAMPHOLDER	E26
MAX WATTAGE	25W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLWB11 | Antique Silver




Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.



BAKU Wall Light

MLWL226PCMBK Matt Black



MATERIAL	Brass Aluminium
HEIGHT	6"-10.75"
WIDTH DIAMETER	6"
LENGTH PROJECTION	7.5"-15"
WEIGHT	0.9 kg 2 lbs
LAMPHOLDER	E26
MAX WATTAGE	25W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLWB11 | Antique Brass




Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.



BAKU Wall Light

MLWL226POLBRS Polished Brass



MATERIAL	Brass
HEIGHT	6"-10.75"
WIDTH DIAMETER	6"
LENGTH PROJECTION	7.5"-15"
WEIGHT	0.9 kg 2 lbs
LAMPHOLDER	E26
MAX WATTAGE	25W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLWB11 | Polished Brass




Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.



BAKU Wall Light

MLWL226SATBRS Satin Brass



MATERIAL	Brass
HEIGHT	6"-10.75"
WIDTH DIAMETER	6"
LENGTH PROJECTION	7.5"-15"
WEIGHT	0.9 kg 2 lbs
LAMPHOLDER	E26
MAX WATTAGE	25W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET: MLWB11 | Satin Brass



Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.

