


MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

### FIXING BRACKET: MLROSE39 | Black




Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






# DANICAANS Pendant

MLP023PCBRZ Bronze




MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

## FIXING BRACKET: MLROSE39 | Bronze




Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

### FIXING BRACKET: MLROSE39 | Chrome




Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Grey




Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.





MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Matt Antique Pink




Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.




# DANICAANS Pendant

MLP023PCMBK Matt Black




MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

## FIXING BRACKET: MLROSE39 | Matt Black




Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Matt Honey Yellow




Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Matt Mint Turquoise




Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Matt Sapphire Blue




Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Matt Traffic Grey




Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Matt Vanilla Cream




Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Matt White




Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.





MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

### FIXING BRACKET: MLROSE39 | Orange




Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






# DANICAANS Pendant

MLP023PCRGR Racing Green




MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

### FIXING BRACKET: MLROSE39 | Racing Green




Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.





MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Red




Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






## DANICAANS Pendant

MLP023PCGRN Sage Green



MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

### FIXING BRACKET: MLROSE39 | Sage Green




Product Notes:  
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.




# DANICAANS Pendant

MLP023PCWTE White




MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

### FIXING BRACKET: MLROSE39 | White




Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.





MATERIAL	Brass   Aluminium
HEIGHT	18"
WIDTH   DIAMETER	16.25"
LENGTH   PROJECTION	n/a
WEIGHT	1 kg   2.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	
FLEX   BAR   CHAIN LENGTH	40"
CABLE TYPE	MLCA009   Black PVC Flexible Cable   2 Core

FIXING BRACKET: MLROSE39 | Yellow



Product Notes:  
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.

