


MATERIAL	Brass Steel Glass
HEIGHT	34.75"
WIDTH DIAMETER	5.25"
LENGTH PROJECTION	5.25"
WEIGHT	4.8 kg 10.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Damp Location (IP44)
CLASS PROTECTION	Class I
SHADE	GL219
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET:



Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






MATERIAL	Brass Steel Glass
HEIGHT	34.75"
WIDTH DIAMETER	5.25"
LENGTH PROJECTION	5.25"
WEIGHT	4.8 kg 10.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Damp Location (IP44)
CLASS PROTECTION	Class I
SHADE	GL219
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET:



Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.





MATERIAL	Brass Steel Glass
HEIGHT	34.75"
WIDTH DIAMETER	5.25"
LENGTH PROJECTION	5.25"
WEIGHT	4.8 kg 10.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Damp Location (IP44)
CLASS PROTECTION	Class I
SHADE	GL219
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET:




Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.



DOUBLE Bathroom Light

MLBWL170POLBRS Polished Brass




MATERIAL	Brass Steel Glass
HEIGHT	34.75"
WIDTH DIAMETER	5.25"
LENGTH PROJECTION	5.25"
WEIGHT	4.8 kg 10.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Damp Location (IP44)
CLASS PROTECTION	Class I
SHADE	GL219
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET:



Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.





MATERIAL	Brass Steel Glass
HEIGHT	34.75"
WIDTH DIAMETER	5.25"
LENGTH PROJECTION	5.25"
WEIGHT	4.8 kg 10.5 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Damp Location (IP44)
CLASS PROTECTION	Class I
SHADE	GL219
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	

FIXING BRACKET:



Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.

