


SEOUL Custom Light

MLBF001ANTBRSG186 Antique Brass




ANTIQUE BRASS




MATERIAL	Brass
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	24 cm 9.45"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL186 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA001 2 Core Round Brown Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	24 cm 9.45"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL187 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA001 2 Core Round Brown Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	24 cm 9.45"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL188 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA001 2 Core Round Brown Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL189 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA001 2 Core Round Brown Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	30 cm 11.81"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL191 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA001 2 Core Round Brown Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	BO-IP.GLASS x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA001 2 Core Round Brown Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	BO-IPGLASS-OPAL x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA001 2 Core Round Brown Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	24 cm 9.45"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL186 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	24 cm 9.45"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL187 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	24 cm 9.45"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL188 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA001 2 Core Round Brown Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL189 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA001 2 Core Round Brown Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL191 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA001 2 Core Round Brown Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	BO-IP.GLASS x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24



MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	BO-IPGLASS-OPAL x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	24 cm 9.45"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL186 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24



SEOUL Custom Light

MLBF001PCMBKGL187 Matt Black



MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	24 cm 9.45"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL187 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24




Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.






POWDER-COATED
MATTE BLACK



MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	24 cm 9.45"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL188 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA001 2 Core Round Brown Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL189 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA001 2 Core Round Brown Braid Rubber

Fixing Bracket MLROSE24




POWDER-COATED
MATTE BLACK



MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL191 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	BO-IP.GLASS x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24



SEOUL Custom Light

MLBF001PCMBKGLWP02 Matt Black



MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	BO-IPGLASS-OPAL x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24




Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




SEOUL Custom Light

MLBF001POLBRSG186 Polished Brass




MATERIAL	Brass	Fixing Bracket	MLROSE24
HEIGHT	130 cm 51.18"		
WIDTH DIAMETER	24 cm 9.45"		
LENGTH PROJECTION	130 cm 51.18"		
WEIGHT	4.1KG 9.04lbs		
LAMPHOLDER	E27 x 5		
MAX WATTAGE	6.5W x 5		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	GL186 x 5		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber		




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	24 cm 9.45"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL187 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	24 cm 9.45"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL188 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL189 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL191 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	BO-IP.GLASS x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	BO-IPGLASS-OPAL x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel	Fixing Bracket	MLROSE24
HEIGHT	130 cm 51.18"		
WIDTH DIAMETER	24 cm 9.45"		
LENGTH PROJECTION	130 cm 51.18"		
WEIGHT	4.1KG 9.04lbs		
LAMPHOLDER	E27 x 5		
MAX WATTAGE	6.5W x 5		
VOLTAGE	220/240v		
IP RATING	65		
CLASS PROTECTION	I		
SHADE	GL186 x 5		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber		




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	24 cm 9.45"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL187 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24



MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	24 cm 9.45"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL188 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL189 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA001 2 Core Round Brown Braid Rubber

Fixing Bracket MLROSE24



SEOUL Custom Light

MLBF001SATBRSSL191 Satin Brass




MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GL191 x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA001 2 Core Round Brown Braid Rubber

Fixing Bracket MLROSE24



Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.






MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	BO-IP.GLASS x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24



SEOUL Custom Light

MLBF001SATBRSGGLWP02 Satin Brass



MATERIAL	Brass Steel
HEIGHT	130 cm 51.18"
WIDTH DIAMETER	22 cm 8.66"
LENGTH PROJECTION	130 cm 51.18"
WEIGHT	4.1KG 9.04lbs
LAMPHOLDER	E27 x 5
MAX WATTAGE	6.5W x 5
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	BO-IPGLASS-OPAL x 5
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLOCA002 2 Core Round Black Braid Rubber

Fixing Bracket MLROSE24



Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

