



MORIARTY Chandelier

MLF358ANTBRACL Antique Brass




MATERIAL	Brass
HEIGHT	57"
WIDTH DIAMETER	15.75"
LENGTH PROJECTION	50"
WEIGHT	13.5 kg 29.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL179
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA013 Clear PVC Flexible Cable 3 Core

FIXING BRACKET: MLWB17




MORIARTY Chandelier

MLF358ANTBRSFR Antique Brass




MATERIAL	Brass
HEIGHT	57"
WIDTH DIAMETER	15.75"
LENGTH PROJECTION	50"
WEIGHT	13.5 kg 29.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL180
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA013 Clear PVC Flexible Cable 3 Core

FIXING BRACKET: MLWB17



MORIARTY Chandelier

MLF358ANTBRSSM Antique Brass



MATERIAL	Brass
HEIGHT	57"
WIDTH DIAMETER	15.75"
LENGTH PROJECTION	50"
WEIGHT	13.5 kg 29.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL183
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA013 Clear PVC Flexible Cable 3 Core

FIXING BRACKET: MLWB17




Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






MORIARTY Chandelier

MLF358ANTSLVCL Antique Silver



MATERIAL	Brass
HEIGHT	57"
WIDTH DIAMETER	15.75"
LENGTH PROJECTION	50"
WEIGHT	13.5 kg 29.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL179
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA013 Clear PVC Flexible Cable 3 Core

FIXING BRACKET: MLWB17



WWW.MULLANLIGHTING.COM


Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.



MORIARTY Chandelier

MLF358ANTSLVFR Antique Silver



MATERIAL	Brass
HEIGHT	57"
WIDTH DIAMETER	15.75"
LENGTH PROJECTION	50"
WEIGHT	13.5 kg 29.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL180
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA013 Clear PVC Flexible Cable 3 Core

FIXING BRACKET: MLWB17




Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.




MORIARTY Chandelier

MLF358ANTSLVSM Antique Silver



MATERIAL	Brass
HEIGHT	57"
WIDTH DIAMETER	15.75"
LENGTH PROJECTION	50"
WEIGHT	13.5 kg 29.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL183
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA013 Clear PVC Flexible Cable 3 Core


FIXING BRACKET: MLWB17






MORIARTY Chandelier

MLF358PCMBKANTBRSCSCL Antique Brass



MATERIAL	Steel Brass
HEIGHT	57"
WIDTH DIAMETER	15.75"
LENGTH PROJECTION	50"
WEIGHT	13.5 kg 29.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL179
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA013 Clear PVC Flexible Cable 3 Core

FIXING BRACKET: MLWB17




Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.




MORIARTY Chandelier

MLF358PCMBKANTBRSFR Antique Brass



MATERIAL	Steel Brass
HEIGHT	57"
WIDTH DIAMETER	15.75"
LENGTH PROJECTION	50"
WEIGHT	13.5 kg 29.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL180
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA013 Clear PVC Flexible Cable 3 Core

FIXING BRACKET: MLWB17




Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.




MORIARTY Chandelier

MLF358PCMBKANTBRSSM Antique Brass



MATERIAL	Steel Brass
HEIGHT	57"
WIDTH DIAMETER	15.75"
LENGTH PROJECTION	50"
WEIGHT	13.5 kg 29.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL183
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA013 Clear PVC Flexible Cable 3 Core

FIXING BRACKET: MLWB17




Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.




MORIARTY Chandelier

MLF358POLBRSCS Polished Brass



MATERIAL	Brass
HEIGHT	57"
WIDTH DIAMETER	15.75"
LENGTH PROJECTION	50"
WEIGHT	13.5 kg 29.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL179
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA013 Clear PVC Flexible Cable 3 Core


FIXING BRACKET: MLWB17






MORIARTY Chandelier

MLF358POLBRSFR Polished Brass



MATERIAL	Brass
HEIGHT	57"
WIDTH DIAMETER	15.75"
LENGTH PROJECTION	50"
WEIGHT	13.5 kg 29.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL180
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA013 Clear PVC Flexible Cable 3 Core

FIXING BRACKET: MLWB17



WWW.MULLANLIGHTING.COM


Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.




MORIARTY Chandelier

MLF358POLBRSSM Polished Brass




MATERIAL	Brass
HEIGHT	57"
WIDTH DIAMETER	15.75"
LENGTH PROJECTION	50"
WEIGHT	13.5 kg 29.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL183
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA013 Clear PVC Flexible Cable 3 Core

FIXING BRACKET: MLWB17




MORIARTY Chandelier

MLF358SATBRSL Satin Brass



MATERIAL	Brass
HEIGHT	57"
WIDTH DIAMETER	15.75"
LENGTH PROJECTION	50"
WEIGHT	13.5 kg 29.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL179
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA013 Clear PVC Flexible Cable 3 Core

FIXING BRACKET: MLWB17




Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.




MORIARTY Chandelier

MLF358SATBRSFR Satin Brass



MATERIAL	Brass
HEIGHT	57"
WIDTH DIAMETER	15.75"
LENGTH PROJECTION	50"
WEIGHT	13.5 kg 29.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL180
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA013 Clear PVC Flexible Cable 3 Core

FIXING BRACKET: MLWB17




Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






MORIARTY Chandelier

MLF358SATBRSSM Satin Brass



MATERIAL	Brass
HEIGHT	57"
WIDTH DIAMETER	15.75"
LENGTH PROJECTION	50"
WEIGHT	13.5 kg 29.8 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	GL183
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA013 Clear PVC Flexible Cable 3 Core

FIXING BRACKET: MLWB17



Product Notes:
 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.

