


WYSE Pendant

MLP303PCBLK Black



MATERIAL Aluminium

HEIGHT 11.75"

WIDTH | DIAMETER 19.75"

LENGTH | PROJECTION n/a

WEIGHT 1.4 kg | 3.3 lbs

LAMPHOLDER E26

MAX WATTAGE 40W

VOLTAGE 110/120v

ENVIRONMENTAL RATING Dry Location (IP20)


CLASS PROTECTION Class I

SHADE -

FLEX | BAR | CHAIN LENGTH 40"

CABLE TYPE MLCA037 | Black PVC Flexible Cable | 3 Core


FIXING BRACKET: MLROSE39 | Black






WYSE Pendant

MLP303PCBRZ Bronze



MATERIAL	Aluminium
HEIGHT	11.75"
WIDTH DIAMETER	19.75"
LENGTH PROJECTION	n/a
WEIGHT	1.4 kg 3.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA037 Black PVC Flexible Cable 3 Core

FIXING BRACKET: MLROSE39 | Bronze




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.




WYSE Pendant

MLP303PCGRN Sage Green



MATERIAL	Aluminium
HEIGHT	11.75"
WIDTH DIAMETER	19.75"
LENGTH PROJECTION	n/a
WEIGHT	1.4 kg 3.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA037 Black PVC Flexible Cable 3 Core

FIXING BRACKET: MLROSE39 | Sage Green




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.


WYSE Pendant

MLP303PCGRY Grey



MATERIAL	Aluminium
HEIGHT	11.75"
WIDTH DIAMETER	19.75"
LENGTH PROJECTION	n/a
WEIGHT	1.4 kg 3.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA037 Black PVC Flexible Cable 3 Core


FIXING BRACKET: MLROSE39 | Grey






WYSE Pendant

MLP303PCMBK Matt Black



MATERIAL	Aluminium
HEIGHT	11.75"
WIDTH DIAMETER	19.75"
LENGTH PROJECTION	n/a
WEIGHT	1.4 kg 3.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA037 Black PVC Flexible Cable 3 Core

FIXING BRACKET: MLROSE39 | Matt Black




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.




WYSE Pendant

MLP303PCORG Orange



MATERIAL	Aluminium
HEIGHT	11.75"
WIDTH DIAMETER	19.75"
LENGTH PROJECTION	n/a
WEIGHT	1.4 kg 3.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA037 Black PVC Flexible Cable 3 Core


FIXING BRACKET: MLROSE39 | Orange






WYSE Pendant

MLP303PCRED Red



MATERIAL	Aluminium
HEIGHT	11.75"
WIDTH DIAMETER	19.75"
LENGTH PROJECTION	n/a
WEIGHT	1.4 kg 3.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA037 Black PVC Flexible Cable 3 Core

FIXING BRACKET: MLROSE39 | Red



Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






WYSE Pendant

MLP303PCRGR Racing Green



MATERIAL	Aluminium
HEIGHT	11.75"
WIDTH DIAMETER	19.75"
LENGTH PROJECTION	n/a
WEIGHT	1.4 kg 3.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA037 Black PVC Flexible Cable 3 Core

FIXING BRACKET: MLROSE39 | Racing Green




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






WYSE Pendant

MLP303PCWTE White



MATERIAL	Aluminium
HEIGHT	11.75"
WIDTH DIAMETER	19.75"
LENGTH PROJECTION	n/a
WEIGHT	1.4 kg 3.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA037 Black PVC Flexible Cable 3 Core

FIXING BRACKET: MLROSE39 | White




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.




WYSE Pendant

MLP303PCYLW Yellow



MATERIAL	Aluminium
HEIGHT	11.75"
WIDTH DIAMETER	19.75"
LENGTH PROJECTION	n/a
WEIGHT	1.4 kg 3.3 lbs
LAMPHOLDER	E26
MAX WATTAGE	40W
VOLTAGE	110/120v
ENVIRONMENTAL RATING	Dry Location (IP20)
CLASS PROTECTION	Class I
SHADE	-
FLEX BAR CHAIN LENGTH	40"
CABLE TYPE	MLCA037 Black PVC Flexible Cable 3 Core

FIXING BRACKET: MLROSE39 | Yellow



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.