



MATERIAL	Brass Steel Glass
HEIGHT	16cm 6.3"
WIDTH DIAMETER	12cm 4.72"
LENGTH PROJECTION	n/a
WEIGHT	0.74KG 1.63lbs
LAMP HOLDER	E14 or E12 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL117
CABLE CHAIN BAR LENGT	100cm 40"
CABLE TYPE	MLCA010 2 Core Flat Brown PVC


Fixing Bracket MLROSE05HOOK | Antique Brass

* Fixing bracket may differ for UL wired products.



Product Notes:



1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass Steel Glass
HEIGHT	16cm 6.3"
WIDTH DIAMETER	12cm 4.72"
LENGTH PROJECTION	n/a
WEIGHT	0.74KG 1.63lbs
LAMP HOLDER	E14 or E12 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL117
CABLE CHAIN BAR LENGT	100cm 40"
CABLE TYPE	MLCA014 2 Core Flat Clear PVC

Fixing Bracket MLROSE05HOOK | Antique Silver

* Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

GADAR Pendant



MLP389POLBRS Polished Brass



MATERIAL	Brass Steel Glass
HEIGHT	16cm 6.3"
WIDTH DIAMETER	12cm 4.72"
LENGTH PROJECTION	n/a
WEIGHT	0.74KG 1.63lbs
LAMP HOLDER	E14 or E12 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL117
CABLE CHAIN BAR LENGT	100cm 40"
CABLE TYPE	MLCA038 2 Core Flat Gold PVC

Fixing Bracket MLROSE05HOOK | Polished Brass

* Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

GADAR Pendant



MLP389POLCHR Polished Chrome



MATERIAL	Brass Steel Glass
HEIGHT	16cm 6.3"
WIDTH DIAMETER	12cm 4.72"
LENGTH PROJECTION	n/a
WEIGHT	0.74KG 1.63lbs
LAMP HOLDER	E14 or E12 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL117
CABLE CHAIN BAR LENGT	100cm 40"
CABLE TYPE	MLCA014 2 Core Flat Clear PVC


Fixing Bracket MLROSE05HOOK | Polished Chrome

* Fixing bracket may differ for UL wired products.



Product Notes:



1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass Steel Glass
HEIGHT	16cm 6.3"
WIDTH DIAMETER	12cm 4.72"
LENGTH PROJECTION	n/a
WEIGHT	0.74KG 1.63lbs
LAMP HOLDER	E14 or E12 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL117
CABLE CHAIN BAR LENGT	100cm 40"
CABLE TYPE	MLCA038 2 Core Flat Gold PVC

Fixing Bracket MLROSE05HOOK | Satin Brass

* Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

GADAR Pendant



MLP389SATCHR Satin Chrome



MATERIAL	Brass Steel Glass
HEIGHT	16cm 6.3"
WIDTH DIAMETER	12cm 4.72"
LENGTH PROJECTION	n/a
WEIGHT	0.74KG 1.63lbs
LAMP HOLDER	E14 or E12 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL117
CABLE CHAIN BAR LENGT	100cm 40"
CABLE TYPE	MLCA014 2 Core Flat Clear PVC

Fixing Bracket MLROSE05HOOK | Satin Chrome

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.