


BEN Wall Light

MLWL034ANTBRS Antique Brass



MATERIAL	Brass Glass
HEIGHT	30cm 11.81"
WIDTH DIAMETER	14cm 5.51"
LENGTH PROJECTION	20cm 7.87"
WEIGHT	0.82KG 1.81lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL044F
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-


Fixing Bracket MLWB05 | Antique Brass
 * Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

BEN Wall Light

MLWL034ANTSLV Antique Silver



MATERIAL	Brass Glass
HEIGHT	30cm 11.81"
WIDTH DIAMETER	14cm 5.51"
LENGTH PROJECTION	20cm 7.87"
WEIGHT	0.82KG 1.81lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL044F
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-


Fixing Bracket MLWB05 | Antique Silver
 * Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

BEN Wall Light

MLWL034POLBRS Polished Brass



MATERIAL	Brass Glass
HEIGHT	30cm 11.81"
WIDTH DIAMETER	14cm 5.51"
LENGTH PROJECTION	20cm 7.87"
WEIGHT	0.82KG 1.81lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL044F
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB05 | Polished Brass
 * Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



BEN Wall Light

MLWL034SATBRS Satin Brass



MATERIAL	Brass Glass
HEIGHT	30cm 11.81"
WIDTH DIAMETER	14cm 5.51"
LENGTH PROJECTION	20cm 7.87"
WEIGHT	0.82KG 1.81lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v*
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL044F
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB05 | Satin Brass

* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.