


MATERIAL	Brass Glass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	40cm 15.75"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	1.71KG 3.77lbs
LAMPHOLDER	E27 x 2
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GLWP01 x 2
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13 | Antique Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass Glass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	40cm 15.75"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	1.71KG 3.77lbs
LAMPHOLDER	E27 x 2
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GLWP02 x 2
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13 | Antique Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




MATERIAL	Brass Glass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	40cm 15.75"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	1.71KG 3.77lbs
LAMPHOLDER	E27 x 2
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GLWP01 x 2
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13 | Antique Silver



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




MATERIAL	Brass Glass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	40cm 15.75"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	1.71KG 3.77lbs
LAMPHOLDER	E27 x 2
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GLWP02 x 2
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13 | Antique Silver




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




MATERIAL	Brass Glass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	40cm 15.75"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	1.71KG 3.77lbs
LAMPHOLDER	E27 x 2
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GLWP01 x 2
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13 | Natural Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




MATERIAL	Brass Glass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	40cm 15.75"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	1.71KG 3.77lbs
LAMPHOLDER	E27 x 2
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GLWP02 x 2
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13 | Natural Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




MATERIAL	Brass Glass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	40cm 15.75"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	1.71KG 3.77lbs
LAMPHOLDER	E27 x 2
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GLWP01 x 2
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13 | Matt Black




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




MATERIAL	Brass Glass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	40cm 15.75"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	1.71KG 3.77lbs
LAMPHOLDER	E27 x 2
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GLWP02 x 2
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13 | Matt Black




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass Glass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	40cm 15.75"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	1.71KG 3.77lbs
LAMPHOLDER	E27 x 2
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GLWP01 x 2
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13 | White




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.


MICHAL Bathroom Light

MLBWL104PCWTEOP White




MATERIAL	Brass Glass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	40cm 15.75"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	1.71KG 3.77lbs
LAMPHOLDER	E27 x 2
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GLWP02 x 2
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13 | White




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




MATERIAL	Brass Glass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	40cm 15.75"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	1.71KG 3.77lbs
LAMPHOLDER	E27 x 2
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GLWP01 x 2
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13 | Polished Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




MATERIAL	Brass Glass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	40cm 15.75"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	1.71KG 3.77lbs
LAMPHOLDER	E27 x 2
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GLWP02 x 2
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13 | Polished Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



MATERIAL	Brass Glass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	40cm 15.75"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	1.71KG 3.77lbs
LAMPHOLDER	E27 x 2
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GLWP01 x 2
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13 | Satin Brass




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




SATIN BRASS



MATERIAL	Brass Glass
HEIGHT	18cm 7.09"
WIDTH DIAMETER	40cm 15.75"
LENGTH PROJECTION	25cm 9.84"
WEIGHT	1.71KG 3.77lbs
LAMPHOLDER	E27 x 2
MAX WATTAGE	6.5W x 2
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	I
SHADE	GLWP02 x 2
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13 | Satin Brass



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.