


|                          |                                            |
|--------------------------|--------------------------------------------|
| MATERIAL                 | Brass   Steel                              |
| HEIGHT                   | 27cm   10.63"                              |
| WIDTH   DIAMETER         | 12cm   4.72"                               |
| LENGTH   PROJECTION      | n/a                                        |
| WEIGHT                   | 0.38KG   0.84lbs                           |
| LAMPHOLDER               | E27 or E26                                 |
| MAX WATTAGE              | 60W x 1                                    |
| VOLTAGE                  | 220/240v or 110/120v                       |
| IP RATING                | 20                                         |
| CLASS PROTECTION         | I                                          |
| SHADE                    | -                                          |
| FLEX   BAR   CHAIN LENGT | 100cm   40"                                |
| CABLE TYPE               | MLCA020   3 Core Twist   Black Braid   PVC |

Fixing Bracket MLROSE05GRIP | Polished Chrome

\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




|                          |                                            |
|--------------------------|--------------------------------------------|
| MATERIAL                 | Brass   Steel                              |
| HEIGHT                   | 27cm   10.63"                              |
| WIDTH   DIAMETER         | 12cm   4.72"                               |
| LENGTH   PROJECTION      | n/a                                        |
| WEIGHT                   | 0.38KG   0.84lbs                           |
| LAMPHOLDER               | E27 or E26                                 |
| MAX WATTAGE              | 60W x 1                                    |
| VOLTAGE                  | 220/240v or 110/120v                       |
| IP RATING                | 20                                         |
| CLASS PROTECTION         | I                                          |
| SHADE                    | -                                          |
| FLEX   BAR   CHAIN LENGT | 100cm   40"                                |
| CABLE TYPE               | MLCA020   3 Core Twist   Black Braid   PVC |

Fixing Bracket MLROSE05GRIP | Antique Brass

\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




|                          |                                            |
|--------------------------|--------------------------------------------|
| MATERIAL                 | Brass   Steel                              |
| HEIGHT                   | 27cm   10.63"                              |
| WIDTH   DIAMETER         | 12cm   4.72"                               |
| LENGTH   PROJECTION      | n/a                                        |
| WEIGHT                   | 0.38KG   0.84lbs                           |
| LAMPHOLDER               | E27 or E26                                 |
| MAX WATTAGE              | 60W x 1                                    |
| VOLTAGE                  | 220/240v or 110/120v                       |
| IP RATING                | 20                                         |
| CLASS PROTECTION         | I                                          |
| SHADE                    | -                                          |
| FLEX   BAR   CHAIN LENGT | 100cm   40"                                |
| CABLE TYPE               | MLCA020   3 Core Twist   Black Braid   PVC |

Fixing Bracket MLROSE05GRIP | Polished Chrome

\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



|                          |                                            |
|--------------------------|--------------------------------------------|
| MATERIAL                 | Brass   Steel                              |
| HEIGHT                   | 27cm   10.63"                              |
| WIDTH   DIAMETER         | 12cm   4.72"                               |
| LENGTH   PROJECTION      | n/a                                        |
| WEIGHT                   | 0.38KG   0.84lbs                           |
| LAMPHOLDER               | E27 or E26                                 |
| MAX WATTAGE              | 60W x 1                                    |
| VOLTAGE                  | 220/240v or 110/120v                       |
| IP RATING                | 20                                         |
| CLASS PROTECTION         | I                                          |
| SHADE                    | -                                          |
| FLEX   BAR   CHAIN LENGT | 100cm   40"                                |
| CABLE TYPE               | MLCA020   3 Core Twist   Black Braid   PVC |

Fixing Bracket MLROSE05GRIP | Polished Chrome

\*For UL wired lights, fixing bracket may differ

Product Notes:


1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

## VOX Pendant

MLP275PCMBK Matt Black



POWDER-COATED  
MATTE BLACK




|                          |                                            |
|--------------------------|--------------------------------------------|
| MATERIAL                 | Brass   Steel                              |
| HEIGHT                   | 27cm   10.63"                              |
| WIDTH   DIAMETER         | 12cm   4.72"                               |
| LENGTH   PROJECTION      | n/a                                        |
| WEIGHT                   | 0.38KG   0.84lbs                           |
| LAMPHOLDER               | E27 or E26                                 |
| MAX WATTAGE              | 60W x 1                                    |
| VOLTAGE                  | 220/240v or 110/120v                       |
| IP RATING                | 20                                         |
| CLASS PROTECTION         | I                                          |
| SHADE                    | -                                          |
| FLEX   BAR   CHAIN LENGT | 100cm   40"                                |
| CABLE TYPE               | MLCA020   3 Core Twist   Black Braid   PVC |

Fixing Bracket MLROSE05GRIP | Polished Chrome

\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




|                          |                                            |
|--------------------------|--------------------------------------------|
| MATERIAL                 | Brass   Steel                              |
| HEIGHT                   | 27cm   10.63"                              |
| WIDTH   DIAMETER         | 12cm   4.72"                               |
| LENGTH   PROJECTION      | n/a                                        |
| WEIGHT                   | 0.38KG   0.84lbs                           |
| LAMPHOLDER               | E27 or E26                                 |
| MAX WATTAGE              | 60W x 1                                    |
| VOLTAGE                  | 220/240v or 110/120v                       |
| IP RATING                | 20                                         |
| CLASS PROTECTION         | I                                          |
| SHADE                    | -                                          |
| FLEX   BAR   CHAIN LENGT | 100cm   40"                                |
| CABLE TYPE               | MLCA020   3 Core Twist   Black Braid   PVC |

Fixing Bracket MLROSE05GRIP | Polished Chrome

\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




|                          |                                            |
|--------------------------|--------------------------------------------|
| MATERIAL                 | Brass   Steel                              |
| HEIGHT                   | 27cm   10.63"                              |
| WIDTH   DIAMETER         | 12cm   4.72"                               |
| LENGTH   PROJECTION      | n/a                                        |
| WEIGHT                   | 0.38KG   0.84lbs                           |
| LAMPHOLDER               | E27 or E26                                 |
| MAX WATTAGE              | 60W x 1                                    |
| VOLTAGE                  | 220/240v or 110/120v                       |
| IP RATING                | 20                                         |
| CLASS PROTECTION         | I                                          |
| SHADE                    | -                                          |
| FLEX   BAR   CHAIN LENGT | 100cm   40"                                |
| CABLE TYPE               | MLCA020   3 Core Twist   Black Braid   PVC |

Fixing Bracket MLROSE05GRIP | Polished Chrome

\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



|                          |                                            |
|--------------------------|--------------------------------------------|
| MATERIAL                 | Brass   Steel                              |
| HEIGHT                   | 27cm   10.63"                              |
| WIDTH   DIAMETER         | 12cm   4.72"                               |
| LENGTH   PROJECTION      | n/a                                        |
| WEIGHT                   | 0.38KG   0.84lbs                           |
| LAMPHOLDER               | E27 or E26                                 |
| MAX WATTAGE              | 60W x 1                                    |
| VOLTAGE                  | 220/240v or 110/120v                       |
| IP RATING                | 20                                         |
| CLASS PROTECTION         | I                                          |
| SHADE                    | -                                          |
| FLEX   BAR   CHAIN LENGT | 100cm   40"                                |
| CABLE TYPE               | MLCA020   3 Core Twist   Black Braid   PVC |


Fixing Bracket MLROSE05GRIP | Polished Chrome

\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.






|                          |                                            |
|--------------------------|--------------------------------------------|
| MATERIAL                 | Brass   Steel                              |
| HEIGHT                   | 27cm   10.63"                              |
| WIDTH   DIAMETER         | 12cm   4.72"                               |
| LENGTH   PROJECTION      | n/a                                        |
| WEIGHT                   | 0.38KG   0.84lbs                           |
| LAMPHOLDER               | E27 or E26                                 |
| MAX WATTAGE              | 60W x 1                                    |
| VOLTAGE                  | 220/240v or 110/120v                       |
| IP RATING                | 20                                         |
| CLASS PROTECTION         | I                                          |
| SHADE                    | -                                          |
| FLEX   BAR   CHAIN LENGT | 100cm   40"                                |
| CABLE TYPE               | MLCA020   3 Core Twist   Black Braid   PVC |

Fixing Bracket MLROSE05GRIP | Polished Chrome

\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



|                          |                                            |
|--------------------------|--------------------------------------------|
| MATERIAL                 | Brass   Steel                              |
| HEIGHT                   | 27cm   10.63"                              |
| WIDTH   DIAMETER         | 12cm   4.72"                               |
| LENGTH   PROJECTION      | n/a                                        |
| WEIGHT                   | 0.38KG   0.84lbs                           |
| LAMPHOLDER               | E27 or E26                                 |
| MAX WATTAGE              | 60W x 1                                    |
| VOLTAGE                  | 220/240v or 110/120v                       |
| IP RATING                | 20                                         |
| CLASS PROTECTION         | I                                          |
| SHADE                    | -                                          |
| FLEX   BAR   CHAIN LENGT | 100cm   40"                                |
| CABLE TYPE               | MLCA020   3 Core Twist   Black Braid   PVC |

Fixing Bracket MLROSE05GRIP | Polished Chrome

\*For UL wired lights, fixing bracket may differ

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.