MADLIN Pendant

MLP461ANTBRSCL Antique Brass

MATERIAL	Brass | Glass
HEIGHT	16.5cm | 6.5''
WIDTH | DIAMETER	15cm | 5.91''
LENGTH | PROJECTION	n/a
WEIGHT	0.54KG | 1.19lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL170
FLEX | BAR | CHAIN LENGT	100cm | 40"
CABLE TYPE	MLCA002 | 2 Core Twist | Brown Braid | PVC

Fixing Bracket MLWB13 | Antique Brass

*For UL wired lights, fixing bracket may differ

EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

MADLIN Pendant

MLP461ANTBRSFR Antique Brass

MATERIAL	Brass | Glass
HEIGHT	16.5cm | 6.5''
WIDTH | DIAMETER	15cm | 5.91''
LENGTH | PROJECTION	n/a
WEIGHT	0.54KG | 1.19lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL171
FLEX | BAR | CHAIN LENGT	100cm | 40''
CABLE TYPE	MLCA002 | 2 Core Twist | Brown Braid | PVC

Fixing Bracket MLWB13 | Antique Brass

*For UL wired lights, fixing bracket may differ

EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

MADLIN Pendant

MLP461ANTSLVCL Antique Silver

MATERIAL	Brass | Glass
HEIGHT	16.5cm | 6.5''
WIDTH | DIAMETER	15cm | 5.91''
LENGTH | PROJECTION	n/a
WEIGHT	0.54KG | 1.19lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL170
FLEX | BAR | CHAIN LENGT	100cm | 40"
CABLE TYPE	MLCA001 | 2 Core Twist | Black Braid | PVC

Fixing Bracket MLWB13 | Antique Silver

*For UL wired lights, fixing bracket may differ

EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

MADLIN Pendant

MLP461ANTSLVFR Antique Silver

MATERIAL	Brass | Glass
HEIGHT	16.5cm | 6.5''
WIDTH | DIAMETER	15cm | 5.91''
LENGTH | PROJECTION	n/a
WEIGHT	0.54KG | 1.19lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL171
FLEX | BAR | CHAIN LENGT	100cm | 40''
CABLE TYPE	MLCA001 | 2 Core Twist | Black Braid | PVC

Fixing Bracket MLWB13 | Antique Silver

*For UL wired lights, fixing bracket may differ

EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

MADLIN Pendant

MLP461POLBRSCL Polished Brass

MATERIAL	Brass | Glass
HEIGHT	16.5cm | 6.5''
WIDTH | DIAMETER	15cm | 5.91''
LENGTH | PROJECTION	n/a
WEIGHT	0.54KG | 1.19lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL170
FLEX | BAR | CHAIN LENGT	100cm | 40"
CABLE TYPE	MLCA001 | 2 Core Twist | Black Braid | PVC

Fixing Bracket MLWB13 | Polished Brass

*For UL wired lights, fixing bracket may differ

EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

MADLIN Pendant

MLP461POLBRSFR Polished Brass

MATERIAL	Brass | Glass
HEIGHT	16.5cm | 6.5''
WIDTH | DIAMETER	15cm | 5.91''
LENGTH | PROJECTION	n/a
WEIGHT	0.54KG | 1.19lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL171
FLEX | BAR | CHAIN LENGT	100cm | 40"
CABLE TYPE	MLCA001 | 2 Core Twist | Black Braid | PVC

Fixing Bracket MLWB13 | Polished Brass

*For UL wired lights, fixing bracket may differ

EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

MADLIN Pendant

MLP461SATBRSCL Satin Brass

MATERIAL	Brass | Glass
HEIGHT	16.5cm | 6.5''
WIDTH | DIAMETER	15cm | 5.91''
LENGTH | PROJECTION	n/a
WEIGHT	0.54KG | 1.19lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL170
FLEX | BAR | CHAIN LENGT	100cm | 40"
CABLE TYPE	MLCA001 | 2 Core Twist | Black Braid | PVC

Fixing Bracket MLWB13 | Satin Brass

*For UL wired lights, fixing bracket may differ

EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

MADLIN Pendant

MLP461SATBRSFR Satin Brass

MATERIAL	Brass | Glass
HEIGHT	16.5cm | 6.5''
WIDTH | DIAMETER	15cm | 5.91''
LENGTH | PROJECTION	n/a
WEIGHT	0.54KG | 1.19lbs
LAMPHOLDER	G9 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL171
FLEX | BAR | CHAIN LENGT	100cm | 40"
CABLE TYPE	MLCA001 | 2 Core Twist | Black Braid | PVC

Fixing Bracket MLWB13 | Satin Brass

*For UL wired lights, fixing bracket may differ

EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.