


SCHOOLHOUSE Wall Light


MLWL374ANTBRS Antique Brass



MATERIAL	Brass Glass
HEIGHT	35cm 13.78"
WIDTH DIAMETER	38cm 14.96"
LENGTH PROJECTION	40cm 15.75"
WEIGHT	2.19KG 4.83lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	60W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL041A
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLCA047 2 Core Round Brown Braid PVC

Fixing Bracket MLWB01 | Antique Brass

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

SCHOOLHOUSE Wall Light


MLWL374ANTSLV Antique Silver



MATERIAL	Brass Glass
HEIGHT	35cm 13.78"
WIDTH DIAMETER	38cm 14.96"
LENGTH PROJECTION	40cm 15.75"
WEIGHT	2.19KG 4.83lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	60W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL041A
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC

Fixing Bracket MLWB01 | Antique Silver

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

SCHOOLHOUSE Wall Light


MLWL374POLBRS Polished Brass



MATERIAL	Brass Glass
HEIGHT	35cm 13.78"
WIDTH DIAMETER	38cm 14.96"
LENGTH PROJECTION	40cm 15.75"
WEIGHT	2.19KG 4.83lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	60W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL041A
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLCA001 2 Core Twist Black Braid PVC

Fixing Bracket MLWB01 | Polished Brass

*For UL wired lights, fixing bracket may differ




Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

SCHOOLHOUSE Wall Light


MLWL374SATBRS Satin Brass



MATERIAL	Brass Glass
HEIGHT	35cm 13.78"
WIDTH DIAMETER	38cm 14.96"
LENGTH PROJECTION	40cm 15.75"
WEIGHT	2.19KG 4.83lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	60W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL041A
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC

Fixing Bracket MLWB01 | Satin Brass

*For UL wired lights, fixing bracket may differ



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.