

Antique Brass MLWL430ANTBRS



MATERIAL	Brass Glass	Fixing Bracket *For UL wired lights,				
HEIGHT	101cm 39.76"	For OL wired lights,	lixilig brackeri	2cm	⊕ 4cm	
WIDTH DIAMETER	31cm 12.2"				0	
LENGTH PROJECTION	64cm 25.2"					
WEIGHT	5KG 11.02lbs					
LAMPHOLDER	E27 or E26					
MAX WATTAGE	40W x 1					
VOLTAGE	220/240v or 110/120v			40cm		
IP RATING	20					
CLASS PROTECTION	I					
SHADE	GL025					
FLEX BAR CHAIN LENGT	n/a					
CABLE TYPE	MLCA010 2 Core Flat Brown PVC				0	









Antique Silver MLWL430ANTSLV



MATERIAL	Brass Glass	Fixing Bracket MLWB07 Antique Silver *For UL wired lights, fixing bracket may differ		
HEIGHT	101cm 39.76"	^For UL wired lights, fixing b	racket may c	⊕ 4cm
WIDTH DIAMETER	31cm 12.2"			0
LENGTH PROJECTION	64cm 25.2"			
WEIGHT	5KG 11.02lbs			
LAMPHOLDER	E27 or E26			
MAX WATTAGE	40W x 1			
VOLTAGE	220/240v or 110/120v		40cm	
IP RATING	20			
CLASS PROTECTION	I			
SHADE	GL025			
FLEX BAR CHAIN LENGT	n/a			
CABLE TYPE	MLCA014 2 Core Flat Clear PVC			<u> </u>









MLWL430POLBRS

Polished Brass



MATERIAL	Brass Glass	Fixing Bracket				
HEIGHT	101cm 39.76"	*For UL wired lights,	, lixing bracket	2cm	⊕ -4cm	
WIDTH DIAMETER	31cm 12.2"				0	
LENGTH PROJECTION	64cm 25.2"					
WEIGHT	5KG 11.02lbs					
LAMPHOLDER	E27 or E26					
MAX WATTAGE	40W x 1					
VOLTAGE	220/240v or 110/120v			40cm		
IP RATING	20					
CLASS PROTECTION	I					
SHADE	GL025					
FLEX BAR CHAIN LENGT	n/a					
CABLE TYPE	MLCA038 2 Core Flat Gold PVC				0	









MLWL430SATBRS Satin Brass



MATERIAL	Brass Glass	Fixing Bracket MLW		
HEIGHT	101cm 39.76"	*For UL wired lights, fixing	2cm	Ф —4cm
WIDTH DIAMETER	31cm 12.2"			0
LENGTH PROJECTION	64cm 25.2"			
WEIGHT	5KG 11.02lbs			
LAMPHOLDER	E27 or E26			
MAX WATTAGE	40W x 1			
VOLTAGE	220/240v or 110/120v		40cm	
IP RATING	20			
CLASS PROTECTION	1			
SHADE	GL025			
FLEX BAR CHAIN LENGT	n/a			0
CABLE TYPE	MLCA038 2 Core Flat Gold PVC			





