



| | |
|---------------------------|------------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 28cm 11.02" |
| WIDTH DIAMETER | 25cm 9.84" |
| LENGTH PROJECTION | 21cm 8.27" |
| WEIGHT | 1.52KG 3.35lbs |
| LAMP HOLDER | E27 or E26 * |
| MAX WATTAGE | 6.5W x 1 |
| VOLTAGE | 220/240v or 110/120v * |
| IP RATING | 65 |
| CLASS PROTECTION | I |
| SHADE CODE | GLWP01 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB13 | Antique Brass
 * Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.




| | |
|---------------------------|------------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 28cm 11.02" |
| WIDTH DIAMETER | 25cm 9.84" |
| LENGTH PROJECTION | 21cm 8.27" |
| WEIGHT | 1.52KG 3.35lbs |
| LAMP HOLDER | E27 or E26 * |
| MAX WATTAGE | 6.5W x 1 |
| VOLTAGE | 220/240v or 110/120v * |
| IP RATING | 65 |
| CLASS PROTECTION | I |
| SHADE CODE | GLWP02 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB13 | Antique Brass
 * Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.




| | |
|---------------------------|------------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 28cm 11.02" |
| WIDTH DIAMETER | 25cm 9.84" |
| LENGTH PROJECTION | 21cm 8.27" |
| WEIGHT | 1.52KG 3.35lbs |
| LAMP HOLDER | E27 or E26 * |
| MAX WATTAGE | 6.5W x 1 |
| VOLTAGE | 220/240v or 110/120v * |
| IP RATING | 65 |
| CLASS PROTECTION | I |
| SHADE CODE | GLWP01 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB13 | Antique Silver
 * Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.




| | |
|---------------------------|------------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 28cm 11.02" |
| WIDTH DIAMETER | 25cm 9.84" |
| LENGTH PROJECTION | 21cm 8.27" |
| WEIGHT | 1.52KG 3.35lbs |
| LAMP HOLDER | E27 or E26 * |
| MAX WATTAGE | 6.5W x 1 |
| VOLTAGE | 220/240v or 110/120v * |
| IP RATING | 65 |
| CLASS PROTECTION | I |
| SHADE CODE | GLWP02 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB13 | Antique Silver
 * Fixing bracket may differ for UL wired products.



Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



| | |
|---------------------------|------------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 28cm 11.02" |
| WIDTH DIAMETER | 25cm 9.84" |
| LENGTH PROJECTION | 21cm 8.27" |
| WEIGHT | 1.52KG 3.35lbs |
| LAMP HOLDER | E27 or E26 * |
| MAX WATTAGE | 6.5W x 1 |
| VOLTAGE | 220/240v or 110/120v * |
| IP RATING | 65 |
| CLASS PROTECTION | I |
| SHADE CODE | GLWP01 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | - |


Fixing Bracket MLWB13 | Natural Brass

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



| | |
|---------------------------|------------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 28cm 11.02" |
| WIDTH DIAMETER | 25cm 9.84" |
| LENGTH PROJECTION | 21cm 8.27" |
| WEIGHT | 1.52KG 3.35lbs |
| LAMP HOLDER | E27 or E26 * |
| MAX WATTAGE | 6.5W x 1 |
| VOLTAGE | 220/240v or 110/120v * |
| IP RATING | 65 |
| CLASS PROTECTION | I |
| SHADE CODE | GLWP02 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | - |


Fixing Bracket MLWB13 | Natural Brass

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.




| | |
|---------------------------|------------------------|
| MATERIAL | Brass |
| HEIGHT | 23cm 9.06" |
| WIDTH DIAMETER | 30cm 11.81" |
| LENGTH PROJECTION | 18cm 7.09" |
| WEIGHT | 0KG 0lbs |
| LAMP HOLDER | E27 or E26 * |
| MAX WATTAGE | 6.5W x 1 |
| VOLTAGE | 220/240v or 110/120v * |
| IP RATING | 65 |
| CLASS PROTECTION | I |
| SHADE CODE | - |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | |

Fixing Bracket MLROSE05

* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.




| | |
|---------------------------|------------------------|
| MATERIAL | Brass |
| HEIGHT | 23cm 9.06" |
| WIDTH DIAMETER | 30cm 11.81" |
| LENGTH PROJECTION | 18cm 7.09" |
| WEIGHT | 0KG 0lbs |
| LAMP HOLDER | E27 or E26 * |
| MAX WATTAGE | 6.5W x 1 |
| VOLTAGE | 220/240v or 110/120v * |
| IP RATING | 65 |
| CLASS PROTECTION | I |
| SHADE CODE | - |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | |

Fixing Bracket MLROSE05

* Fixing bracket may differ for UL wired products.

Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



| | |
|---------------------------|------------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 28cm 11.02" |
| WIDTH DIAMETER | 25cm 9.84" |
| LENGTH PROJECTION | 21cm 8.27" |
| WEIGHT | 1.52KG 3.35lbs |
| LAMP HOLDER | E27 or E26 * |
| MAX WATTAGE | 6.5W x 1 |
| VOLTAGE | 220/240v or 110/120v * |
| IP RATING | 65 |
| CLASS PROTECTION | I |
| SHADE CODE | GLWP01 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | - |


Fixing Bracket MLWB13 | Satin Brass

* Fixing bracket may differ for UL wired products.



Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



| | |
|---------------------------|------------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 28cm 11.02" |
| WIDTH DIAMETER | 25cm 9.84" |
| LENGTH PROJECTION | 21cm 8.27" |
| WEIGHT | 1.52KG 3.35lbs |
| LAMP HOLDER | E27 or E26 * |
| MAX WATTAGE | 6.5W x 1 |
| VOLTAGE | 220/240v or 110/120v * |
| IP RATING | 65 |
| CLASS PROTECTION | I |
| SHADE CODE | GLWP02 |
| CABLE CHAIN BAR LENGT | n/a |
| CABLE TYPE | - |

Fixing Bracket MLWB13 | Satin Brass

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.