



MATERIAL	Brass Ceramic Leather
HEIGHT	26cm 10.24"
WIDTH DIAMETER	14cm 5.51"
LENGTH PROJECTION	19cm 7.48"
WEIGHT	0.9KG 1.98lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS026
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLCA047 2 Core Round Brown Braid PVC

Fixing Bracket MLWB15

* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass Ceramic Leather
HEIGHT	26cm 10.24"
WIDTH DIAMETER	14cm 5.51"
LENGTH PROJECTION	19cm 7.48"
WEIGHT	0.9KG 1.98lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS026
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLCA047 2 Core Round Brown Braid PVC

Fixing Bracket MLWB15

* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass Ceramic Leather
HEIGHT	26cm 10.24"
WIDTH DIAMETER	14cm 5.51"
LENGTH PROJECTION	19cm 7.48"
WEIGHT	0.9KG 1.98lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS026
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC

Fixing Bracket MLWB15

* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass Ceramic Leather
HEIGHT	26cm 10.24"
WIDTH DIAMETER	14cm 5.51"
LENGTH PROJECTION	19cm 7.48"
WEIGHT	0.9KG 1.98lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS026
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC

Fixing Bracket MLWB15

* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass Ceramic Leather
HEIGHT	26cm 10.24"
WIDTH DIAMETER	14cm 5.51"
LENGTH PROJECTION	19cm 7.48"
WEIGHT	0.9KG 1.98lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS026
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC

Fixing Bracket MLWB15

* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



NAGI Ceramic Wall Light

MLCMWL040POLBRSYLW Polished Brass



MATERIAL	Brass Ceramic Leather
HEIGHT	26cm 10.24"
WIDTH DIAMETER	14cm 5.51"
LENGTH PROJECTION	19cm 7.48"
WEIGHT	0.9KG 1.98lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS026
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC

Fixing Bracket MLWB15

* Fixing bracket may differ for UL wired products.



www.mullanlighting.com

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MATERIAL	Brass Ceramic Leather
HEIGHT	26cm 10.24"
WIDTH DIAMETER	14cm 5.51"
LENGTH PROJECTION	19cm 7.48"
WEIGHT	0.9KG 1.98lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS026
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC

Fixing Bracket MLWB15
 * Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass Ceramic Leather
HEIGHT	26cm 10.24"
WIDTH DIAMETER	14cm 5.51"
LENGTH PROJECTION	19cm 7.48"
WEIGHT	0.9KG 1.98lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS026
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC

Fixing Bracket MLWB15
 * Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.