


# RUBEN Wall Light

MLWL326ANTBRS Antique Brass




MATERIAL	Brass   Glass
HEIGHT	20cm   7.87"
WIDTH   DIAMETER	14cm   5.51"
LENGTH   PROJECTION	11cm   4.33"
WEIGHT	1.44KG   3.17lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	60W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	ANDRO-57-SPARE
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

### Fixing Bracket -

\* Fixing bracket may differ for UL wired products.

### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.




MATERIAL	Brass   Glass
HEIGHT	20cm   7.87"
WIDTH   DIAMETER	14cm   5.51"
LENGTH   PROJECTION	11cm   4.33"
WEIGHT	1.44KG   3.17lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	60W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	54
CLASS PROTECTION	I
SHADE CODE	ANDRO-57-SPARE
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket -

\* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.




MATERIAL	Brass
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	30cm   11.81"
LENGTH   PROJECTION	18cm   7.09"
WEIGHT	0KG   0lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	ANDRO-57-SPARE
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	

Fixing Bracket MLROSE05

\* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Glass
HEIGHT	20cm   7.87"
WIDTH   DIAMETER	14cm   5.51"
LENGTH   PROJECTION	11cm   4.33"
WEIGHT	1.44KG   3.17lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	60W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	54
CLASS PROTECTION	I
SHADE CODE	ANDRO-57-SPARE
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket -

\* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.