

# PERA Ceramic Pendant


MLCMP048ANTBRSRED Antique Brass



|                           |  |
|---------------------------|--|
| MATERIAL                  | Ceramic   Brass   Glass                    |
| HEIGHT                    | 15cm   5.91"                               |
| WIDTH   DIAMETER          | 13.5cm   5.31"                             |
| LENGTH   PROJECTION       | n/a  |
| WEIGHT                    | 0.7KG   1.54lbs                            |
| LAMP HOLDER               | E27 or E26 *                               |
| MAX WATTAGE               | 40W x 1                                    |
| VOLTAGE                   | 220/240v or 110/120v *                     |
| IP RATING                 | 20   |
| CLASS PROTECTION          | I  |
| SHADE CODE                | MLCS040                                    |
| CABLE   CHAIN   BAR LENGT | 100cm   40"                                |
| CABLE TYPE                | MLCA047   2 Core Round   Brown Braid   PVC |

Fixing Bracket MLROSE39| Antique Brass

\* Fixing bracket may differ for UL wired products.



## Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

# PERA Ceramic Pendant


MLCMP048ANTBRSYLW Antique Brass



|                           |  |
|---------------------------|--|
| MATERIAL                  | Ceramic   Brass   Glass                    |
| HEIGHT                    | 15cm   5.91"                               |
| WIDTH   DIAMETER          | 13.5cm   5.31"                             |
| LENGTH   PROJECTION       | n/a  |
| WEIGHT                    | 0.7KG   1.54lbs                            |
| LAMP HOLDER               | E27 or E26 *                               |
| MAX WATTAGE               | 40W x 1                                    |
| VOLTAGE                   | 220/240v or 110/120v *                     |
| IP RATING                 | 20   |
| CLASS PROTECTION          | I  |
| SHADE CODE                | MLCS040                                    |
| CABLE   CHAIN   BAR LENGT | 100cm   40"                                |
| CABLE TYPE                | MLCA047   2 Core Round   Brown Braid   PVC |

Fixing Bracket MLROSE39 | Antique Brass

\* Fixing bracket may differ for UL wired products.



## Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

# PERA Ceramic Pendant


MLCMP048ANTSLVRED Antique Silver



|                           |  |
|---------------------------|--|
| MATERIAL                  | Ceramic   Brass   Glass                    |
| HEIGHT                    | 15cm   5.91"                               |
| WIDTH   DIAMETER          | 13.5cm   5.31"                             |
| LENGTH   PROJECTION       | n/a  |
| WEIGHT                    | 0.7KG   1.54lbs                            |
| LAMP HOLDER               | E27 or E26 *                               |
| MAX WATTAGE               | 40W x 1                                    |
| VOLTAGE                   | 220/240v or 110/120v *                     |
| IP RATING                 | 20   |
| CLASS PROTECTION          | I  |
| SHADE CODE                | MLCS040                                    |
| CABLE   CHAIN   BAR LENGT | 100cm   40"                                |
| CABLE TYPE                | MLCA028   2 Core Round   Black Braid   PVC |

## Fixing Bracket MLROSE39

\* Fixing bracket may differ for UL wired products.



### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

# PERA Ceramic Pendant


MLCMP048ANTSLVYLW Antique Silver



|                           |  |
|---------------------------|--|
| MATERIAL                  | Ceramic   Brass   Glass                    |
| HEIGHT                    | 15cm   5.91"                               |
| WIDTH   DIAMETER          | 13.5cm   5.31"                             |
| LENGTH   PROJECTION       | n/a  |
| WEIGHT                    | 0.7KG   1.54lbs                            |
| LAMP HOLDER               | E27 or E26 *                               |
| MAX WATTAGE               | 40W x 1                                    |
| VOLTAGE                   | 220/240v or 110/120v *                     |
| IP RATING                 | 20   |
| CLASS PROTECTION          | I  |
| SHADE CODE                | MLCS040                                    |
| CABLE   CHAIN   BAR LENGT | 100cm   40"                                |
| CABLE TYPE                | MLCA028   2 Core Round   Black Braid   PVC |

## Fixing Bracket MLROSE39

\* Fixing bracket may differ for UL wired products.



### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.




PERA Ceramic Pendant

MLCMP048PCMBKRED Matt Black



|                           |  |
|---------------------------|--|
| MATERIAL                  | Ceramic   Brass   Glass                    |
| HEIGHT                    | 15cm   5.91"                               |
| WIDTH   DIAMETER          | 13.5cm   5.31"                             |
| LENGTH   PROJECTION       | n/a  |
| WEIGHT                    | 0.7KG   1.54lbs                            |
| LAMP HOLDER               | E27 or E26 *                               |
| MAX WATTAGE               | 40W x 1                                    |
| VOLTAGE                   | 220/240v or 110/120v *                     |
| IP RATING                 | 20   |
| CLASS PROTECTION          | I  |
| SHADE CODE                | MLCS040                                    |
| CABLE   CHAIN   BAR LENGT | 100cm   40"                                |
| CABLE TYPE                | MLCA028   2 Core Round   Black Braid   PVC |

Fixing Bracket MLROSE39  
\* Fixing bracket may differ for UL wired products.





## PERA Ceramic Pendant


MLCMP048PCMBKYLW Matt Black



|                           |  |
|---------------------------|--|
| MATERIAL                  | Ceramic   Brass   Glass                    |
| HEIGHT                    | 15cm   5.91"                               |
| WIDTH   DIAMETER          | 13.5cm   5.31"                             |
| LENGTH   PROJECTION       | n/a  |
| WEIGHT                    | 0.7KG   1.54lbs                            |
| LAMP HOLDER               | E27 or E26 *                               |
| MAX WATTAGE               | 40W x 1                                    |
| VOLTAGE                   | 220/240v or 110/120v *                     |
| IP RATING                 | 20   |
| CLASS PROTECTION          | I  |
| SHADE CODE                | MLCS040                                    |
| CABLE   CHAIN   BAR LENGT | 100cm   40"                                |
| CABLE TYPE                | MLCA028   2 Core Round   Black Braid   PVC |

### Fixing Bracket MLROSE39

\* Fixing bracket may differ for UL wired products.



www.mullanlighting.com

#### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





## PERA Ceramic Pendant


MLCMP048POLBRSRED Polished Brass



|                           |  |
|---------------------------|--|
| MATERIAL                  | Ceramic   Brass   Glass                    |
| HEIGHT                    | 15cm   5.91"                               |
| WIDTH   DIAMETER          | 13.5cm   5.31"                             |
| LENGTH   PROJECTION       | n/a  |
| WEIGHT                    | 0.7KG   1.54lbs                            |
| LAMP HOLDER               | E27 or E26 *                               |
| MAX WATTAGE               | 40W x 1                                    |
| VOLTAGE                   | 220/240v or 110/120v *                     |
| IP RATING                 | 20   |
| CLASS PROTECTION          | I  |
| SHADE CODE                | MLCS040                                    |
| CABLE   CHAIN   BAR LENGT | 100cm   40"                                |
| CABLE TYPE                | MLCA028   2 Core Round   Black Braid   PVC |

### Fixing Bracket MLROSE39

\* Fixing bracket may differ for UL wired products.



www.mullanlighting.com

#### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.







## PERA Ceramic Pendant

MLCMP048POLBRSYLW Polished Brass



MATERIAL Ceramic | Brass | Glass

HEIGHT 15cm | 5.91"

WIDTH | DIAMETER 13.5cm | 5.31"

LENGTH | PROJECTION n/a

WEIGHT 0.7KG | 1.54lbs

LAMP HOLDER E27 or E26 \*

MAX WATTAGE 40W x 1

VOLTAGE 220/240v or 110/120v \*

IP RATING 20

CLASS PROTECTION I


SHADE CODE MLCS040

CABLE | CHAIN | BAR LENGT 100cm | 40"

CABLE TYPE MLCA028 | 2 Core Round | Black Braid | PVC

Fixing Bracket MLROSE39

\* Fixing bracket may differ for UL wired products.



www.mullanlighting.com

### Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.








PERA Ceramic Pendant

MLCMP048SATBRSRED    Satin Brass



|                           |  |
|---------------------------|--|
| MATERIAL                  | Ceramic   Brass   Glass                    |
| HEIGHT                    | 15cm   5.91"                               |
| WIDTH   DIAMETER          | 13.5cm   5.31"                             |
| LENGTH   PROJECTION       | n/a  |
| WEIGHT                    | 0.7KG   1.54lbs                            |
| LAMP HOLDER               | E27 or E26 *                               |
| MAX WATTAGE               | 40W x 1                                    |
| VOLTAGE                   | 220/240v or 110/120v *                     |
| IP RATING                 | 20   |
| CLASS PROTECTION          | I  |
| SHADE CODE                | MLCS040                                    |
| CABLE   CHAIN   BAR LENGT | 100cm   40"                                |
| CABLE TYPE                | MLCA028   2 Core Round   Black Braid   PVC |

Fixing Bracket    MLROSE39  
\* Fixing bracket may differ for UL wired products.





PERA Ceramic Pendant

MLCMP048SATBRSYLW    Satin Brass



|                           |  |
|---------------------------|--|
| MATERIAL                  | Ceramic   Brass   Glass                    |
| HEIGHT                    | 15cm   5.91"                               |
| WIDTH   DIAMETER          | 13.5cm   5.31"                             |
| LENGTH   PROJECTION       | n/a  |
| WEIGHT                    | 0.7KG   1.54lbs                            |
| LAMP HOLDER               | E27 or E26 *                               |
| MAX WATTAGE               | 40W x 1                                    |
| VOLTAGE                   | 220/240v or 110/120v *                     |
| IP RATING                 | 20   |
| CLASS PROTECTION          | I  |
| SHADE CODE                | MLCS040                                    |
| CABLE   CHAIN   BAR LENGT | 100cm   40"                                |
| CABLE TYPE                | MLCA028   2 Core Round   Black Braid   PVC |

Fixing Bracket    MLROSE39  
\* Fixing bracket may differ for UL wired products.

