

MLCMCF026ANTBRS Antique Brass



MATERIAL	Brass Ceramic	Fixing Bracket MLWB17 * Fixing bracket may differ for UL wired products.
HEIGHT	10cm 3.94''	
WIDTH DIAMETER	27cm 10.63"	7.5cm
LENGTH PROJECTION	n/a	
WEIGHT	0.8KG 1.76lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	20	©0.5cm
CLASS PROTECTION	I	
SHADE CODE	MLCS080	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC	



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLCMCF026ANTSLV Antique Silver



MATERIAL	Brass Ceramic	Fixing Bracket MLWB17 Fixing bracket may differ for UL wired products.
HEIGHT	10cm 3.94''	- 12cm
WIDTH DIAMETER	27cm 10.63"	7.5cm
LENGTH PROJECTION	n/a	
WEIGHT	0.8KG 1.76lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	20	©.0.5cm
CLASS PROTECTION	1	
SHADE CODE	MLCS080	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC	



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





MLCMCF026PCMBK Matt Black



MATERIAL	Brass Ceramic	Fixing Bracket MLWB17 * Fixing bracket may differ for UL wired products.
HEIGHT	10cm 3.94''	
WIDTH DIAMETER	27cm 10.63"	7.5cm
LENGTH PROJECTION	n/a	
WEIGHT	0.8KG 1.76lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	20	©.0.5cm
CLASS PROTECTION	I	
SHADE CODE	MLCS080	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC	



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





KAPOK Ceramic Ceiling Fitting MLCMCF026POLBRS Polished Brass



MATERIAL	Brass Ceramic	Fixing Bracket MLWB17 * Fixing bracket may differ for UL wired products.
HEIGHT	10cm 3.94''	
WIDTH DIAMETER	27cm 10.63"	7.5cm
LENGTH PROJECTION	n/a	
WEIGHT	0.8KG 1.76lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	20	@0.5cm
CLASS PROTECTION	1	
SHADE CODE	MLCS080	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC	



Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.




mullan

KAPOK Ceramic Ceiling Fitting **Polished Copper** MLCMCF026POLCOP



MATERIAL	Brass Ceramic Copper	Fixing Bracket MLWB17 Copper * Fixing bracket may differ for UL wired products.
HEIGHT	10cm 3.94''	- 12cm
WIDTH DIAMETER	27cm 10.63"	7.5cm
LENGTH PROJECTION	n/a	
WEIGHT	0.8KG 1.76lbs	
LAMP HOLDER	E27 or E26 *	_
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	20	
CLASS PROTECTION	I	
SHADE CODE	MLCS080	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC	





Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.






MLCMCF026SATBRS Satin Brass



MATERIAL	Brass Ceramic	Fixing Bracket * Fixing bracket may
HEIGHT	10cm 3.94''	_
WIDTH DIAMETER	27cm 10.63"	
LENGTH PROJECTION	n/a	
WEIGHT	0.8KG 1.76lbs	
LAMP HOLDER	E27 or E26 *	
MAX WATTAGE	40W x 1	
VOLTAGE	220/240v or 110/120v*	
IP RATING	20	
CLASS PROTECTION	Ι	
SHADE CODE	MLCS080	
CABLE CHAIN BAR LENGT	n/a	
CABLE TYPE	MLCA028 2 Core Round Black Braid PVC	



MLWB17



www.mullanlighting.com

Product Notes: 1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes maybe available on request. 6) UL wired products operate at 110/120 with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

