

AOSTA Bathroom Light

MLBWL159ANTBRSC


Antique Brass



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

AOSTA Bathroom Light

MLBWL159ANTBRSFR


Antique Brass



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

AOSTA Bathroom Light

MLBWL159ANTBRSOP Antique Brass



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



AOSTA Bathroom Light

MLBWL159ANTSLVCL


Antique Silver



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

AOSTA Bathroom Light

MLBWL159ANTSLVFR


Antique Silver



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.





MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



AOSTA Bathroom Light

MLBWL159PCGRNCL


Sage Green



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



AOSTA Bathroom Light

MLBWL159PCGRNFR Sage Green 



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13
* Fixing bracket may differ for UL wired products.





MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.






MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

AOSTA Bathroom Light

MLBWL159PCMAPOP



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



AOSTA Bathroom Light

MLBWL159PCMBKCL


Matt Black



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

AOSTA Bathroom Light

MLBWL159PCMBKFR Matt Black



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



AOSTA Bathroom Light

MLBWL159PCMBKOP Matt Black



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.






MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.






MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.






MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.





MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



AOSTA Bathroom Light

MLBWL159PCORGCL


Orange



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

AOSTA Bathroom Light


MLBWL159PCORGFR Orange



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

AOSTA Bathroom Light


MLBWL159PCREDCL Red



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

AOSTA Bathroom Light

MLBWL159PCREDFR Red



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.






MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.





AOSTA Bathroom Light

MLBWL159PCRGRFR Racing Green



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13
* Fixing bracket may differ for UL wired products.





MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13
* Fixing bracket may differ for UL wired products.



AOSTA Bathroom Light


MLBWL159PCYLWCL Yellow



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

AOSTA Bathroom Light


MLBWL159PCYLWFR Yellow



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

AOSTA Bathroom Light

MLBWL159PCYLWOP


Yellow



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

AOSTA Bathroom Light

MLBWL159POLBRSC


Polished Brass



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

AOSTA Bathroom Light

MLBWL159POLBRSFR Polished Brass



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



AOSTA Bathroom Light

MLBWL159POLBRSOP


Polished Brass



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

AOSTA Bathroom Light

MLBWL159SATBRSC


Satin Brass



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL196
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

AOSTA Bathroom Light

MLBWL159SATBRSFR


Satin Brass



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL208
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13

* Fixing bracket may differ for UL wired products.



Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



AOSTA Bathroom Light

MLBWL159SATBRSOP Satin Brass



MATERIAL	Brass
HEIGHT	16.2cm 6.38"
WIDTH DIAMETER	16.2cm 6.38"
LENGTH PROJECTION	17.6cm 6.93"
WEIGHT	0.5KG 1.1lbs
LAMP HOLDER	G9
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	65
CLASS PROTECTION	I
SHADE CODE	GL192
CABLE CHAIN BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB13
* Fixing bracket may differ for UL wired products.

