





OREGON-A Ceiling Light

MLCF105ANTBR_SCL Antique Brass



| | |
|---------------------------|---------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 9.25" |
| WIDTH DIAMETER | 4" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 0.94 kg 2 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Wet Location (IP65) |
| CLASS PROTECTION | Class II |
| SHADE | GL147 |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |

FIXING BRACKET: MLROSE39 | Antique Brass




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






OREGON-A Ceiling Light

MLCF105ANTBRSCR Antique Brass



| | |
|---------------------------|---------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 9.25" |
| WIDTH DIAMETER | 4" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 0.94 kg 2 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Wet Location (IP65) |
| CLASS PROTECTION | Class II |
| SHADE | GL144 |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |

FIXING BRACKET: MLROSE39 | Antique Brass




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






OREGON-A Ceiling Light

MLCF105ANTBRSFR Antique Brass



| | |
|---------------------------|---------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 9.25" |
| WIDTH DIAMETER | 4" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 0.94 kg 2 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Wet Location (IP65) |
| CLASS PROTECTION | Class II |
| SHADE | GL148 |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |

FIXING BRACKET: MLROSE39 | Antique Brass




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






OREGON-A Ceiling Light

MLCF105ANTSLVCL Antique Silver



| | |
|---------------------------|---------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 9.25" |
| WIDTH DIAMETER | 4" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 0.94 kg 2 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Wet Location (IP65) |
| CLASS PROTECTION | Class II |
| SHADE | GL147 |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |

FIXING BRACKET: MLROSE39 | Antique Silver




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






OREGON-A Ceiling Light

MLCF105ANTSLVCR Antique Silver



| | |
|---------------------------|---------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 9.25" |
| WIDTH DIAMETER | 4" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 0.94 kg 2 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Wet Location (IP65) |
| CLASS PROTECTION | Class II |
| SHADE | GL144 |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |

FIXING BRACKET: MLROSE39 | Antique Silver




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






OREGON-A Ceiling Light

MLCF105ANTSLVFR Antique Silver



| | |
|---------------------------|---------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 9.25" |
| WIDTH DIAMETER | 4" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 0.94 kg 2 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Wet Location (IP65) |
| CLASS PROTECTION | Class II |
| SHADE | GL148 |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |

FIXING BRACKET: MLROSE39 | Antique Silver




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.



OREGON-A Ceiling Light

MLCF105NATBRSL Natural Brass



MATERIAL Brass | Glass

HEIGHT 9.25"

WIDTH | DIAMETER 4"

LENGTH | PROJECTION n/a

WEIGHT 0.94 kg | 2 lbs

LAMPHOLDER E26

MAX WATTAGE 40W

VOLTAGE 110/120v

ENVIRONMENTAL RATING Wet Location (IP65)


CLASS PROTECTION Class II

SHADE GL147

FLEX | BAR | CHAIN LENGTH n/a

CABLE TYPE |


FIXING BRACKET: MLROSE39 | Natural Brass






OREGON-A Ceiling Light

MLCF105NATBRSCR Natural Brass



| | |
|---------------------------|---------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 9.25" |
| WIDTH DIAMETER | 4" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 0.94 kg 2 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Wet Location (IP65) |
| CLASS PROTECTION | Class II |
| SHADE | GL144 |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |

FIXING BRACKET: MLROSE39 | Natural Brass




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






OREGON-A Ceiling Light

MLCF105NATBRSFR Natural Brass



| | |
|---------------------------|---------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 9.25" |
| WIDTH DIAMETER | 4" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 0.94 kg 2 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Wet Location (IP65) |
| CLASS PROTECTION | Class II |
| SHADE | GL148 |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |

FIXING BRACKET: MLROSE39 | Natural Brass




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.




OREGON-A Ceiling Light

MLCF105POLBRSCS Polished Brass



| | |
|---------------------------|---------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 9.25" |
| WIDTH DIAMETER | 4" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 0.94 kg 2 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Wet Location (IP65) |
| CLASS PROTECTION | Class II |
| SHADE | GL147 |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |


FIXING BRACKET: MLROSE39 | Polished Brass






OREGON-A Ceiling Light

MLCF105POLBRSCR Polished Brass



| | |
|---------------------------|---------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 9.25" |
| WIDTH DIAMETER | 4" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 0.94 kg 2 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Wet Location (IP65) |
| CLASS PROTECTION | Class II |
| SHADE | GL144 |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |

FIXING BRACKET: MLROSE39 | Polished Brass




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.



OREGON-A Ceiling Light

MLCF105POLBRSFR Polished Brass



MATERIAL Brass | Glass

HEIGHT 9.25"

WIDTH | DIAMETER 4"

LENGTH | PROJECTION n/a

WEIGHT 0.94 kg | 2 lbs

LAMPHOLDER E26

MAX WATTAGE 40W

VOLTAGE 110/120v

ENVIRONMENTAL RATING Wet Location (IP65)


CLASS PROTECTION Class II

SHADE GL148

FLEX | BAR | CHAIN LENGTH n/a

CABLE TYPE |


FIXING BRACKET: MLROSE39 | Polished Brass






OREGON-A Ceiling Light

MLCF105SATBRSL Satin Brass



| | |
|---------------------------|---------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 9.25" |
| WIDTH DIAMETER | 4" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 0.94 kg 2 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Wet Location (IP65) |
| CLASS PROTECTION | Class II |
| SHADE | GL147 |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |

FIXING BRACKET: MLROSE39 | Satin Brass




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






OREGON-A Ceiling Light

MLCF105SATBRSCR Satin Brass



| | |
|---------------------------|---------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 9.25" |
| WIDTH DIAMETER | 4" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 0.94 kg 2 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Wet Location (IP65) |
| CLASS PROTECTION | Class II |
| SHADE | GL144 |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |

FIXING BRACKET: MLROSE39 | Satin Brass




Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.






OREGON-A Ceiling Light

MLCF105SATBRSFR Satin Brass



| | |
|---------------------------|---------------------|
| MATERIAL | Brass Glass |
| HEIGHT | 9.25" |
| WIDTH DIAMETER | 4" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 0.94 kg 2 lbs |
| LAMPHOLDER | E26 |
| MAX WATTAGE | 40W |
| VOLTAGE | 110/120v |
| ENVIRONMENTAL RATING | Wet Location (IP65) |
| CLASS PROTECTION | Class II |
| SHADE | GL148 |
| FLEX BAR CHAIN LENGTH | n/a |
| CABLE TYPE | |

FIXING BRACKET: MLROSE39 | Satin Brass



Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional color finishes may be available on request. 6) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 7) Refer to our website for a full list of terms and conditions.

