


REN Bathroom Pendant

MLBP011ANTBRS

Antique Brass



MATERIAL Brass | Aluminium | Glass

HEIGHT 22cm | 8.66"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION n/a

WEIGHT 0.96kg | 2.12lb

LAMPHOLDER E27

MAX WATTAGE 6.5W

VOLTAGE 220/240v

IP RATING IP65


CLASS PROTECTION 2

SHADE GLWP01

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLOCA001 | 2 Core Round | Brown Braid | Rubber

FIXING BRACKET MLROSE31 | Antique Brass



www.mullanlighting.com

Product Notes:


1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



REN Bathroom Pendant

MLBP011ANTBRSOP

Antique Brass



MATERIAL Brass | Aluminium | Glass

HEIGHT 22cm | 8.66"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION n/a

WEIGHT 0.96kg | 2.12lb

LAMPHOLDER E27

MAX WATTAGE 6.5W

VOLTAGE 220/240v

IP RATING IP65


CLASS PROTECTION 2

SHADE GLWP02

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLOCA001 | 2 Core Round | Brown Braid | Rubber

FIXING BRACKET MLROSE31 | Antique Brass



www.mullanlighting.com

Product Notes:


1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



REN Bathroom Pendant

MLBP011ANTSLV

Antique Silver



MATERIAL Brass | Aluminium | Glass

HEIGHT 22cm | 8.66"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION n/a

WEIGHT 0.96kg | 2.12lb

LAMPHOLDER E27

MAX WATTAGE 6.5W

VOLTAGE 220/240v

IP RATING IP65


CLASS PROTECTION 2

SHADE GLWP01

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLOCA002 | 2 Core Round | Black Braid | Rubber

FIXING BRACKET MLROSE31 | Antique Silver



www.mullanlighting.com

Product Notes:


1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



REN Bathroom Pendant

MLBP011ANTSLVOP

Antique Silver



MATERIAL Brass | Aluminium | Glass

HEIGHT 22cm | 8.66"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION n/a

WEIGHT 0.96kg | 2.12lb

LAMPHOLDER E27

MAX WATTAGE 6.5W

VOLTAGE 220/240v

IP RATING IP65


CLASS PROTECTION 2

SHADE GLWP02

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLOCA002 | 2 Core Round | Black Braid | Rubber

FIXING BRACKET MLROSE31 | Antique Silver



www.mullanlighting.com


Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



REN Bathroom Pendant

MLBP011NATBRS



MATERIAL Brass | Aluminium | Glass

HEIGHT 22cm | 8.66"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION n/a

WEIGHT 0.96kg | 2.12lb

LAMPHOLDER E27

MAX WATTAGE 6.5W

VOLTAGE 220/240v

IP RATING IP65


CLASS PROTECTION 2

SHADE GLWP01

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLOCA002 | 2 Core Round | Black Braid | Rubber

FIXING BRACKET MLROSE31 | Natural Brass



www.mullanlighting.com


Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



REN Bathroom Pendant

MLBP011NATBR SOP



MATERIAL Brass | Aluminium | Glass

FIXING BRACKET MLROSE31 | Natural Brass

HEIGHT 22cm | 8.66"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION n/a

WEIGHT 0.96kg | 2.12lb

LAMPHOLDER E27

MAX WATTAGE 6.5W

VOLTAGE 220/240v


IP RATING IP65

CLASS PROTECTION 2

SHADE GLWP02

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLOCA002 | 2 Core Round | Black Braid | Rubber



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.






REN Bathroom Pendant

MLBP011PCMBK

Matt Black



MATERIAL Brass | Aluminium | Glass

HEIGHT 22cm | 8.66"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION n/a

WEIGHT 0.96kg | 2.12lb

LAMPHOLDER E27

MAX WATTAGE 6.5W

VOLTAGE 220/240v

IP RATING IP65


CLASS PROTECTION 2

SHADE GLWP01

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLOCA002 | 2 Core Round | Black Braid | Rubber

FIXING BRACKET MLROSE31 | Matt Black



www.mullanlighting.com

Product Notes:


1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



REN Bathroom Pendant

MLBP011PCMBKOP

Matt Black



MATERIAL Brass | Aluminium | Glass

HEIGHT 22cm | 8.66"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION n/a

WEIGHT 0.96kg | 2.12lb

LAMPHOLDER E27

MAX WATTAGE 6.5W

VOLTAGE 220/240v

IP RATING IP65


CLASS PROTECTION 2

SHADE GLWP02

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLOCA002 | 2 Core Round | Black Braid | Rubber

FIXING BRACKET MLROSE31 | Matt Black



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.






REN Bathroom Pendant

MLBP011PCWTE

White



MATERIAL Brass | Aluminium | Glass

HEIGHT 22cm | 8.66"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION n/a

WEIGHT 0.96kg | 2.12lb

LAMPHOLDER E27

MAX WATTAGE 6.5W

VOLTAGE 220/240v

IP RATING IP65


CLASS PROTECTION 2

SHADE GLWP01

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLOCA002 | 2 Core Round | Black Braid | Rubber

FIXING BRACKET MLROSE31 | White



www.mullanlighting.com

Product Notes:


1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



REN Bathroom Pendant

MLBP011PCWTEOP

White



MATERIAL Brass | Aluminium | Glass

HEIGHT 22cm | 8.66"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION n/a

WEIGHT 0.96kg | 2.12lb

LAMPHOLDER E27

MAX WATTAGE 6.5W

VOLTAGE 220/240v

IP RATING IP65


CLASS PROTECTION 2

SHADE GLWP02

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLOCA002 | 2 Core Round | Black Braid | Rubber

FIXING BRACKET MLROSE31 | White



www.mullanlighting.com

Product Notes:


1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



REN Bathroom Pendant

MLBP011POLBRS

Polished Brass



MATERIAL Brass | Aluminium | Glass

HEIGHT 22cm | 8.66"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION n/a

WEIGHT 0.96kg | 2.12lb

LAMPHOLDER E27

MAX WATTAGE 6.5W

VOLTAGE 220/240v

IP RATING IP65


CLASS PROTECTION 2

SHADE GLWP01

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLOCA002 | 2 Core Round | Black Braid | Rubber

FIXING BRACKET MLROSE31 | Polished Brass



www.mullanlighting.com

Product Notes:


1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



REN Bathroom Pendant

MLBP011POLBRSOP

Polished Brass



MATERIAL Brass | Aluminium | Glass

HEIGHT 22cm | 8.66"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION n/a

WEIGHT 0.96kg | 2.12lb

LAMPHOLDER E27

MAX WATTAGE 6.5W

VOLTAGE 220/240v

IP RATING IP65


CLASS PROTECTION 2

SHADE GLWP02

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLOCA002 | 2 Core Round | Black Braid | Rubber

FIXING BRACKET MLROSE31 | Polished Brass



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.




REN Bathroom Pendant

MLBP011SATBRS

Satin Brass



SATIN BRASS



MATERIAL Brass | Aluminium | Glass

HEIGHT 22cm | 8.66"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION n/a

WEIGHT 0.96kg | 2.12lb

LAMPHOLDER E27

MAX WATTAGE 6.5W

VOLTAGE 220/240v

IP RATING IP65


CLASS PROTECTION 2

SHADE GLWP01

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLOCA002 | 2 Core Round | Black Braid | Rubber

FIXING BRACKET MLROSE31 | Satin Brass



www.mullanlighting.com

Product Notes:


1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



REN Bathroom Pendant

MLBP011SATBRSOP

Satin Brass



MATERIAL Brass | Aluminium | Glass

HEIGHT 22cm | 8.66"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION n/a

WEIGHT 0.96kg | 2.12lb

LAMPHOLDER E27

MAX WATTAGE 6.5W

VOLTAGE 220/240v

IP RATING IP65


CLASS PROTECTION 2

SHADE GLWP02

FLEX | BAR | CHAIN LENGT 100cm | 40"

CABLE TYPE MLOCA002 | 2 Core Round | Black Braid | Rubber

FIXING BRACKET MLROSE31 | Satin Brass



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

