


REN Bathroom Light

MLBWL011ANTBRSC

Antique Brass



MATERIAL Brass | Glass

Fixing Bracket MLWB17 | Antique Brass

HEIGHT 31.5cm | 12.4"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION 28cm | 11.02"

WEIGHT 0.81KG

LAMPHOLDER E27 x 1

MAX WATTAGE 6.5W x 1

VOLTAGE 220/240v

IP RATING 65

CLASS PROTECTION II

SHADE GLWP01

FLEX | BAR | CHAIN LENGT n/a

CABLE TYPE -


Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

REN Bathroom Light

MLBWL011ANTBRSOP

Antique Brass



MATERIAL Brass | Glass

Fixing Bracket MLWB17 | Antique Brass

HEIGHT 31.5cm | 12.4"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION 28cm | 11.02"

WEIGHT 0.81KG

LAMPHOLDER E27 x 1

MAX WATTAGE 6.5W x 1

VOLTAGE 220/240v

IP RATING 65

CLASS PROTECTION II

SHADE GLWP02

FLEX | BAR | CHAIN LENGT n/a


CABLE TYPE -

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

REN Bathroom Light

MLBWL011ANTSLVCL Antique Silver



MATERIAL	Brass Glass	Fixing Bracket	MLWB17 Antique Silver
HEIGHT	31.5cm 12.4"		
WIDTH DIAMETER	16cm 6.3"		
LENGTH PROJECTION	28cm 11.02"		
WEIGHT	0.81KG		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	6.5W x 1		
VOLTAGE	220/240v		
IP RATING	65		
CLASS PROTECTION	II		
SHADE	GLWP01		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	-		


Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

REN Bathroom Light

MLBWL011ANTSLVOP

Antique Silver



MATERIAL	Brass Glass
HEIGHT	31.5cm 12.4"
WIDTH DIAMETER	16cm 6.3"
LENGTH PROJECTION	28cm 11.02"
WEIGHT	0.81KG
LAMPHOLDER	E27 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	II
SHADE	GLWP02
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-


Fixing Bracket MLWB17 | Antique Silver

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

REN Bathroom Light

MLBWL011NATBRSC Natural Brass



MATERIAL Brass | Glass

Fixing Bracket MLWB17 | Natural Brass

HEIGHT 31.5cm | 12.4"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION 28cm | 11.02"

WEIGHT 0.81KG

LAMPHOLDER E27 x 1

MAX WATTAGE 6.5W x 1

VOLTAGE 220/240v

IP RATING 65

CLASS PROTECTION II

SHADE GLWP01


FLEX | BAR | CHAIN LENGT n/a

CABLE TYPE -

REN Bathroom Light

MLBWL011NATBRSOP

Natural Brass



MATERIAL	Brass Glass
HEIGHT	31.5cm 12.4"
WIDTH DIAMETER	16cm 6.3"
LENGTH PROJECTION	28cm 11.02"
WEIGHT	0.81KG
LAMPHOLDER	E27 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	II
SHADE	GLWP02
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB17 | Natural Brass


Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

REN Bathroom Light

MLBWL011PCMBKCL

Matt Black



MATERIAL	Brass Glass
HEIGHT	31.5cm 12.4"
WIDTH DIAMETER	16cm 6.3"
LENGTH PROJECTION	28cm 11.02"
WEIGHT	0.81KG
LAMPHOLDER	E27 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	II
SHADE	GLWP01
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB17 | Matt Black


Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

REN Bathroom Light

MLBWL011PCMBKOP

Matt Black



MATERIAL	Brass Glass
HEIGHT	31.5cm 12.4"
WIDTH DIAMETER	16cm 6.3"
LENGTH PROJECTION	28cm 11.02"
WEIGHT	0.81KG
LAMPHOLDER	E27 x 1
MAX WATTAGE	6.5W x 1
VOLTAGE	220/240v
IP RATING	65
CLASS PROTECTION	II
SHADE	GLWP02
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-


Fixing Bracket MLWB17 | Matt Black

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

REN Bathroom Light

MLBWL011PCWTECL White



MATERIAL	Brass Glass	Fixing Bracket	MLWB17 White
HEIGHT	31.5cm 12.4"		
WIDTH DIAMETER	16cm 6.3"		
LENGTH PROJECTION	28cm 11.02"		
WEIGHT	0.81KG		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	6.5W x 1		
VOLTAGE	220/240v		
IP RATING	65		
CLASS PROTECTION	II		
SHADE	GLWP01		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	-		


Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

REN Bathroom Light

MLBWL011PCWTEOP

White




MATERIAL	Brass Glass	Fixing Bracket	MLWB17 White
HEIGHT	31.5cm 12.4"		
WIDTH DIAMETER	16cm 6.3"		
LENGTH PROJECTION	28cm 11.02"		
WEIGHT	0.81KG		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	6.5W x 1		
VOLTAGE	220/240v		
IP RATING	65		
CLASS PROTECTION	II		
SHADE	GLWP02		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	-		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

REN Bathroom Light

MLBWL011POLBRSCS Polished Brass



MATERIAL Brass | Glass

Fixing Bracket MLWB17 | Polished Brass

HEIGHT 31.5cm | 12.4"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION 28cm | 11.02"

WEIGHT 0.81KG

LAMPHOLDER E27 x 1

MAX WATTAGE 6.5W x 1

VOLTAGE 220/240v

IP RATING 65

CLASS PROTECTION II

SHADE GLWP01

FLEX | BAR | CHAIN LENGT n/a

CABLE TYPE -


Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

REN Bathroom Light

MLBWL011POLBRSOP

Polished Brass



MATERIAL Brass | Glass

Fixing Bracket MLWB17 | Polished Brass

HEIGHT 31.5cm | 12.4"

WIDTH | DIAMETER 16cm | 6.3"

LENGTH | PROJECTION 28cm | 11.02"

WEIGHT 0.81KG

LAMPHOLDER E27 x 1

MAX WATTAGE 6.5W x 1

VOLTAGE 220/240v

IP RATING 65

CLASS PROTECTION II

SHADE GLWP02

FLEX | BAR | CHAIN LENGT n/a

CABLE TYPE -


Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

REN Bathroom Light

MLBWL011SATBRSC

Satin Brass



MATERIAL	Brass Glass	Fixing Bracket	MLWB17 Satin Brass
HEIGHT	31.5cm 12.4"		
WIDTH DIAMETER	16cm 6.3"		
LENGTH PROJECTION	28cm 11.02"		
WEIGHT	0.81KG		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	6.5W x 1		
VOLTAGE	220/240v		
IP RATING	65		
CLASS PROTECTION	II		
SHADE	GLWP01		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	-		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.


REN Bathroom Light

MLBWL011SATBRSOP

Satin Brass



SATIN BRASS



MATERIAL	Brass Glass	Fixing Bracket	MLWB17 Satin Brass
HEIGHT	31.5cm 12.4"		
WIDTH DIAMETER	16cm 6.3"		
LENGTH PROJECTION	28cm 11.02"		
WEIGHT	0.81KG		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	6.5W x 1		
VOLTAGE	220/240v		
IP RATING	65		
CLASS PROTECTION	II		
SHADE	GLWP02		
FLEX BAR CHAIN LENGT	n/a		
CABLE TYPE	-		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.